

IMMUNIZATION, HEALTH, AND DENTAL EXAM REQUIREMENTS 2023/2024

Dear Parents/Guardians,

Date: June 2023

New York State law (2164[7][a]) requires a physical examination for all students **entering Pre-K, K, 1st, 3rd, 5th, 7th, 9th, and 11th grade. All students entering the school district for the first time, regardless of grade, are also required to provide a current physical exam.**

Children must be current with immunizations to attend school. If a student is not up to date with immunizations, they will be excluded from school after 14 days from the start of school. (The counting of days includes weekend days.)

If your child has an appointment for a physical scheduled after the first 30 days of school, please notify the health office. This does not apply to immunizations; they must be current to start/remain in school.

A dental certificate stating that your child has been seen by a dentist or dental hygienist is requested at the same time as the physical exam paperwork is provided. For your convenience, a required NYS health examination form and a dental health certificate are enclosed.

Also enclosed is a schedule of current immunizations required to attend.

We suggest you make copies of the completed forms for your personal records before sending the originals to the health office. Forms may also be faxed or mailed to the school. Please include Attention: Health Office on any faxes or mailed forms.

Thank you in advance for your attention to these necessary details.

Best,

Mary Schnorr RN MSN

Nativity School Health Services
Nativity of Our Lord School
4414 South Buffalo Road
Orchard Park, NY 14127
716-662-7572 Fax: 716-662-3483

2023-24 School Year

New York State Immunization Requirements for School Entrance/Attendance¹

NOTES:

Children in a prekindergarten setting should be age-appropriately immunized. The number of doses depends on the schedule recommended by the Advisory Committee on Immunization Practices (ACIP). Intervals between doses of vaccine should be in accordance with the ACIP-recommended immunization schedule for persons 0 through 18 years of age. Doses received before the minimum age or intervals are not valid and do not count toward the number of doses listed below. See footnotes for specific information for each vaccine. Children who are enrolling in grade-less classes should meet the immunization requirements of the grades for which they are age equivalent.

Dose requirements MUST be read with the footnotes of this schedule

Vaccines	Prekindergarten (Day Care, Head Start, Nursery or Pre-k)	Kindergarten and Grades 1, 2, 3, 4 and 5	Grades 6, 7, 8, 9, 10 and 11	Grade 12
Diphtheria and Tetanus toxoid-containing vaccine and Pertussis vaccine (DTaP/DTP/Tdap/Td) ²	4 doses	5 doses or 4 doses if the 4th dose was received at 4 years or older or 3 doses if 7 years or older and the series was started at 1 year or older	3 doses	
Tetanus and Diphtheria toxoid-containing vaccine and Pertussis vaccine adolescent booster (Tdap) ³	Not applicable		1 dose	
Polio vaccine (IPV/OPV) ⁴	3 doses	4 doses or 3 doses if the 3rd dose was received at 4 years or older		
Measles, Mumps and Rubella vaccine (MMR) ⁵	1 dose	2 doses		
Hepatitis B vaccine ⁶	3 doses	3 doses or 2 doses of adult hepatitis B vaccine (Recombivax) for children who received the doses at least 4 months apart between the ages of 11 through 15 years		
Varicella (Chickenpox) vaccine ⁷	1 dose	2 doses		
Meningococcal conjugate vaccine (MenACWY) ⁸	Not applicable		Grades 7, 8, 9, 10 and 11: 1 dose	2 doses or 1 dose if the dose was received at 16 years or older
Haemophilus influenzae type b conjugate vaccine (Hib) ⁹	1 to 4 doses	Not applicable		
Pneumococcal Conjugate vaccine (PCV) ¹⁰	1 to 4 doses	Not applicable		

1. Demonstrated serologic evidence of measles, mumps or rubella antibodies or laboratory confirmation of these diseases is acceptable proof of immunity to these diseases. Serologic tests for polio are acceptable proof of immunity only if the test was performed before September 1, 2019 and all three serotypes were positive. A positive blood test for hepatitis B surface antibody is acceptable proof of immunity to hepatitis B. Demonstrated serologic evidence of varicella antibodies, laboratory confirmation of varicella disease or diagnosis by a physician, physician assistant or nurse practitioner that a child has had varicella disease is acceptable proof of immunity to varicella.
2. Diphtheria and tetanus toxoids and acellular pertussis (DTaP) vaccine. (Minimum age: 6 weeks)
 - a. Children starting the series on time should receive a 5-dose series of DTaP vaccine at 2 months, 4 months, 6 months and at 15 through 18 months and at 4 years or older. The fourth dose may be received as early as age 12 months, provided at least 6 months have elapsed since the third dose. However, the fourth dose of DTaP need not be repeated if it was administered at least 4 months after the third dose of DTaP. The final dose in the series must be received on or after the fourth birthday and at least 6 months after the previous dose.
 - b. If the fourth dose of DTaP was administered at 4 years or older, and at least 6 months after dose 3, the fifth (booster) dose of DTaP vaccine is not required.
 - c. For children born before 1/1/2005, only immunity to diphtheria is required and doses of DT and Td can meet this requirement.
 - d. Children 7 years and older who are not fully immunized with the childhood DTaP vaccine series should receive Tdap vaccine as the first dose in the catch-up series; if additional doses are needed, use Td or Tdap vaccine. If the first dose was received before their first birthday, then 4 doses are required, as long as the final dose was received at 4 years or older. If the first dose was received on or after the first birthday, then 3 doses are required, as long as the final dose was received at 4 years or older.
3. Tetanus and diphtheria toxoids and acellular pertussis (Tdap) adolescent booster vaccine. (Minimum age for grades 6, 7 and 8: 10 years; minimum age for grades 9 through 12: 7 years)
 - a. Students 11 years or older entering grades 6 through 12 are required to have one dose of Tdap.
 - b. In addition to the grade 6 through 12 requirement, Tdap may also be given as part of the catch-up series for students 7 years of age and older who are not fully immunized with the childhood DTaP series, as described above. In school year 2022-2023, only doses of Tdap given at age 10 years or older will satisfy the Tdap requirement for students in grades 6, 7 and 8; however, doses of Tdap given at age 7 years or older will satisfy the requirement for students in grades 9 through 12.
 - c. Students who are 10 years old in grade 6 and who have not yet received a Tdap vaccine are in compliance until they turn 11 years old.
4. Inactivated polio vaccine (IPV) or oral polio vaccine (OPV). (Minimum age: 6 weeks)
 - a. Children starting the series on time should receive a series of IPV at 2 months, 4 months and at 6 through 18 months, and at 4 years or older. The final dose in the series must be received on or after the fourth birthday and at least 6 months after the previous dose.
 - b. For students who received their fourth dose before age 4 and prior to August 7, 2010, 4 doses separated by at least 4 weeks is sufficient.
 - c. If the third dose of polio vaccine was received at 4 years or older and at least 6 months after the previous dose, the fourth dose of polio vaccine is not required.
 - d. For children with a record of OPV, only trivalent OPV (tOPV) counts toward NYS school polio vaccine requirements. Doses of OPV given before April 1, 2016 should be counted unless specifically noted as monovalent, bivalent or as given during a poliovirus immunization campaign. Doses of OPV given on or after April 1, 2016 should not be counted.
5. Measles, mumps, and rubella (MMR) vaccine. (Minimum age: 12 months)
 - a. The first dose of MMR vaccine must have been received on or after the first birthday. The second dose must have been received at least 28 days (4 weeks) after the first dose to be considered valid.
 - b. Measles: One dose is required for prekindergarten. Two doses are required for grades kindergarten through 12.
 - c. Mumps: One dose is required for prekindergarten. Two doses are required for grades kindergarten through 12.
 - d. Rubella: At least one dose is required for all grades (prekindergarten through 12).
6. Hepatitis B vaccine
 - a. Dose 1 may be given at birth or anytime thereafter. Dose 2 must be given at least 4 weeks (28 days) after dose 1. Dose 3 must be at least 8 weeks after dose 2 AND at least 16 weeks after dose 1 AND no earlier than age 24 weeks (when 4 doses are given, substitute "dose 4" for "dose 3" in these calculations).
 - b. Two doses of adult hepatitis B vaccine (Recombivax) received at least 4 months apart at age 11 through 15 years will meet the requirement.
7. Varicella (chickenpox) vaccine. (Minimum age: 12 months)
 - a. The first dose of varicella vaccine must have been received on or after the first birthday. The second dose must have been received at least 28 days (4 weeks) after the first dose to be considered valid.
 - b. For children younger than 13 years, the recommended minimum interval between doses is 3 months (if the second dose was administered at least 4 weeks after the first dose, it can be accepted as valid); for persons 13 years and older, the minimum interval between doses is 4 weeks.
8. Meningococcal conjugate ACWY vaccine (MenACWY). (Minimum age for grades 7, 8 and 9: 10 years; minimum age for grades 10 through 12: 6 weeks)
 - a. One dose of meningococcal conjugate vaccine (Menactra, Menveo or MenQuadfi) is required for students entering grades 7, 8, 9, 10 and 11.
 - b. For students in grade 12, if the first dose of meningococcal conjugate vaccine was received at 16 years or older, the second (booster) dose is not required.
 - c. The second dose must have been received at 16 years or older. The minimum interval between doses is 8 weeks.
9. Haemophilus influenzae type b (Hib) conjugate vaccine. (Minimum age: 6 weeks)
 - a. Children starting the series on time should receive Hib vaccine at 2 months, 4 months, 6 months and at 12 through 15 months. Children older than 15 months must get caught up according to the ACIP catch-up schedule. The final dose must be received on or after 12 months.
 - b. If 2 doses of vaccine were received before age 12 months, only 3 doses are required with dose 3 at 12 through 15 months and at least 8 weeks after dose 2.
 - c. If dose 1 was received at age 12 through 14 months, only 2 doses are required with dose 2 at least 8 weeks after dose 1.
 - d. If dose 1 was received at 15 months or older, only 1 dose is required.
 - e. Hib vaccine is not required for children 5 years or older.
10. Pneumococcal conjugate vaccine (PCV). (Minimum age: 6 weeks)
 - a. Children starting the series on time should receive PCV vaccine at 2 months, 4 months, 6 months and at 12 through 15 months. Children older than 15 months must get caught up according to the ACIP catch-up schedule. The final dose must be received on or after 12 months.
 - b. Unvaccinated children ages 7 through 11 months are required to receive 2 doses, at least 4 weeks apart, followed by a third dose at 12 through 15 months.
 - c. Unvaccinated children ages 12 through 23 months are required to receive 2 doses of vaccine at least 8 weeks apart.
 - d. If one dose of vaccine was received at 24 months or older, no further doses are required.
 - e. PCV is not required for children 5 years or older.
 - f. For further information, refer to the PCV chart available in the School Survey Instruction Booklet at: www.health.ny.gov/prevention/immunization/schools

For further information, contact:

**New York State Department of Health
Bureau of Immunization
Room 649, Corning Tower ESP
Albany, NY 12237
(518) 473-4437**

**New York City Department of Health and Mental Hygiene
Program Support Unit, Bureau of Immunization,
42-09 28th Street, 5th floor
Long Island City, NY 11101
(347) 396-2433**

New York State Department of Health/Bureau of Immunization
health.ny.gov/immunization

REQUIRED NYS SCHOOL HEALTH EXAMINATION FORM
TO BE COMPLETED BY PRIVATE HEALTH CARE PROVIDER OR SCHOOL MEDICAL DIRECTOR
IF AN AREA IS NOT ASSESSED INDICATE NOT DONE

Note: NYSED requires a physical exam for new entrants and students in Grades Pre-K or K, 1, 3, 5, 7, 9 & 11; annually for interscholastic sports; and working papers as needed; or as required by the Committee on Special Education (CSE) or Committee on Pre-School Special education (CPSE).

STUDENT INFORMATION

Name	Sex: <input type="checkbox"/> M <input type="checkbox"/> F	DOB:
School:	Grade:	Exam Date:

HEALTH HISTORY

Allergies <input type="checkbox"/> No <input type="checkbox"/> Yes, indicate type	Type: <input type="checkbox"/> Medication/Treatment Order Attached <input type="checkbox"/> Anaphylaxis Care Plan Attached
Asthma <input type="checkbox"/> No <input type="checkbox"/> Yes, indicate type	<input type="checkbox"/> Intermittent <input type="checkbox"/> Persistent <input type="checkbox"/> Other : <input type="checkbox"/> Medication/Treatment Order Attached <input type="checkbox"/> Asthma Care Plan Attached
Seizures <input type="checkbox"/> No <input type="checkbox"/> Yes, indicate type	Type: <input type="checkbox"/> Medication/Treatment Order Attached <input type="checkbox"/> Seizure Care Plan Attached Date of last seizure:
Diabetes <input type="checkbox"/> No <input type="checkbox"/> Yes, indicate type	Type: <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> Medication/Treatment Order Attached <input type="checkbox"/> Diabetes Medical Mgmt. Plan Attached

Risk Factors for Diabetes or Pre-Diabetes: Consider screening for T2DM if BMI% > 85% and has 2 or more risk factors: Family Hx T2DM, Ethnicity, Sx Insulin Resistance, Gestational Hx of Mother, and/or pre-diabetes.

BMI _____ kg/m²

Percentile (Weight Status Category): <5th 5th-49th 50th-84th 85th-94th 95th-98th 99th and >

Hyperlipidemia: No Yes Not Done Hypertension: No Yes Not Done

PHYSICAL EXAMINATION/ASSESSMENT

Height:	Weight:	BP:	Pulse:	Respirations:
Laboratory Testing	Positive	Negative	Date	List Other Pertinent Medical Concerns (e.g. concussion, mental health, one functioning organ)
TB- PRN	<input type="checkbox"/>	<input type="checkbox"/>		
Sickle Cell Screen-PRN	<input type="checkbox"/>	<input type="checkbox"/>		
Lead Level Required Grades Pre- K & K			Date	
<input type="checkbox"/> Test Done <input type="checkbox"/> Lead Elevated ≥ 5 $\mu\text{g}/\text{dL}$				

System Review and Abnormal Findings Listed Below

<input type="checkbox"/> HEENT	<input type="checkbox"/> Lymph nodes	<input type="checkbox"/> Abdomen	<input type="checkbox"/> Extremities	<input type="checkbox"/> Speech
<input type="checkbox"/> Dental	<input type="checkbox"/> Cardiovascular	<input type="checkbox"/> Back/Spine	<input type="checkbox"/> Skin	<input type="checkbox"/> Social Emotional
<input type="checkbox"/> Neck	<input type="checkbox"/> Lungs	<input type="checkbox"/> Genitourinary	<input type="checkbox"/> Neurological	<input type="checkbox"/> Musculoskeletal

Assessment/Abnormalities Noted/Recommendations: _____ Diagnoses/Problems (list) _____ ICD-10 Code*

Additional Information Attached _____ *Required only for students with an IEP receiving Medicaid

Name:	DOB:
--------------	-------------

SCREENINGS				
Vision (w/correction if prescribed)	Right	Left	Referral	Not Done
Distance Acuity	20/	20/	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/>
Near Vision Acuity	20/	20/		<input type="checkbox"/>
Color Perception Screening	<input type="checkbox"/> Pass <input type="checkbox"/> Fail			<input type="checkbox"/>
Notes				

Hearing Passing indicates student can hear 20dB at all frequencies: 500, 1000, 2000, 3000, 4000 Hz; for grades 7 & 11 also test at 6000 & 8000 Hz.	Not Done
---	-----------------

Pure Tone Screening	Right <input type="checkbox"/> Pass <input type="checkbox"/> Fail	Left <input type="checkbox"/> Pass <input type="checkbox"/> Fail	Referral <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/>
Notes				

Scoliosis Screen Boys in grade 9, and Girls in grades 5 & 7	Negative	Positive	Referral	Not Done
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/>

RECOMMENDATIONS FOR PARTICIPATION IN PHYSICAL EDUCATION/SPORTS/PLAYGROUND/WORK

Student may participate in all activities without restrictions.

Student is restricted from participation in:

- Contact Sports: Basketball, Competitive Cheerleading, Diving, Downhill Skiing, Field Hockey, Football, Gymnastics, Ice Hockey, Lacrosse, Soccer, and Wrestling.
- Limited Contact Sports: Baseball, Fencing, Softball, and Volleyball.
- Non-Contact Sports: Archery, Badminton, Bowling, Cross-Country, Golf, Riflery, Swimming, Tennis, and Track & Field.
- Other Restrictions:

Developmental Stage for Athletic Placement Process ONLY required for students in Grades 7 & 8 who wish to play at the high school interscholastic sports level OR Grades 9-12 who wish to play at the modified interscholastic sports level.

Tanner Stage: I II III IV V Age of First Menses (if applicable) : _____

Other Accommodations*: (e.g. Brace, orthotics, insulin pump, prosthetic, sports goggle, etc.) Use additional space below to explain. *Check with athletic governing body if prior approval/form completion required for use of device at athletic competitions.

MEDICATIONS

Order Form for Medication(s) Needed at School Attached

IMMUNIZATIONS

Record Attached Reported in NYSIS

HEALTH CARE PROVIDER

Medical Provider Signature:

Provider Name: *(please print)*

Provider Address:

Phone: _____ Fax: _____

Please Return This Form To Your Child's School When Completed.

Dental Health Certificate 2023-2024

Parent/Guardian: New York State law (Chapter 281) permits schools to request an oral health assessment in the following grades: school entry, K, 2, 4, 7, & 10. Your child may have a dental check-up during this school year to assess his/her fitness to attend school. Please complete Section 1 and take the form to your registered dentist or registered dental hygienist for an assessment. If your child had a dental check-up before he/she started the school, ask your dentist/dental hygienist to fill out Section 2. Return the completed form to the school's medical director or school nurse as soon as possible.

Section 1. To be completed by Parent or Guardian (Please Print)

Child's Name: Last First Middle

Birth Date: / /
Month Day Year

Sex: Male Female

Will this be your child's first oral health assessment? Yes No

School: Name _____ Grade _____

Have you noticed any problem in the mouth that interferes with your child's ability to chew, speak or focus on school activities? Yes No

I understand that by signing this form I am consenting for the child named above to receive a basic oral health assessment. I understand this assessment is only a limited means of evaluation to assess the student's dental health, and I would need to secure the services of a dentist in order for my child to receive a complete dental examination with x-rays if necessary to maintain good oral health.

I also understand that receiving this preliminary oral health assessment does not establish any new, ongoing or continuing doctor-patient relationship. Further, I will not hold the dentist or those performing this assessment responsible for the consequences or results should I choose NOT to follow the recommendations listed below.

Parent's Signature _____ Date _____

Section 2. To be completed by the Dentist/ Dental Hygienist

I. The dental health condition of _____ on _____ (date of assessment)
 The date of the assessment needs to be within 12 months of the start of the school year in which it is requested. Check one:

- Yes, The student listed above is in fit condition of dental health to permit his/her attendance at the public schools.
- No, The student listed above is not in fit condition of dental health to permit his/her attendance at the public schools.

NOTE: Not in fit condition of dental health means that a condition exists that interferes with a student's ability to chew, speak or focus on school activities including pain, swelling or infection related to clinical evidence of open cavities. The designation of not in fit condition of dental health to permit attendance at the public school does not preclude the student from attending school.

Dentist's/ Dental Hygienist's name and address _____
(please print or stamp) Dentist's/Dental Hygienist's Signature _____

Optional Sections - If you agree to release this information to your child's school, please initial here.

II. Oral Health Status (check all that apply).

- Yes No **Caries Experience/Restoration History** – Has the child ever had a cavity (treated or untreated)? [A filling (temporary/permanent) OR a tooth that is missing because it was extracted as a result of caries OR an open cavity].
- Yes No **Untreated Caries** – Does this child have an open cavity? [At least ½ mm of tooth structure loss at the enamel surface. Brown to dark-brown coloration of the walls of the lesion. These criteria apply to pits and fissure cavitated lesions as well as those on smooth tooth surfaces. If retained root, assume that the whole tooth was destroyed by caries. Broken or chipped teeth, plus teeth with temporary fillings, are considered sound unless a cavitated lesion is also present].
- Yes No **Dental Sealants Present**

Other problems (Specify): _____

II. Treatment Needs (check all that apply)

- No obvious problem. Routine dental care is recommended. Visit your dentist regularly.
- May need dental care. Please schedule an appointment with your dentist as soon as possible for an evaluation.
- Immediate dental care is required. Please schedule an appointment immediately with your dentist to avoid problems.